



CRC® Heavy Duty Degreaser, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)
Issue date: 2025-05-21 Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Trade name : CRC® Heavy Duty Degreaser, 538 g
Product code : 1006174
Part number : 73095

1.2. Recommended use and restrictions on use

Recommended use : General purpose degreaser
Restrictions on use : None known

1.3. Supplier

Manufactured or sold by:

CRC Canada Co.
83 Galaxy Blvd.
Unit 35 - 37
Toronto, ON M9W 5X6
Canada
T 416-847-7750
crcindustries.ca

1.4. Emergency telephone number

Emergency number : 800-424-9300 (CHEMTREC)
24-Hour Emergency

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Aerosol, Category 3	Pressurized container; may burst if heated.
Skin corrosion/irritation, Category 2	Causes skin irritation.
Serious eye damage/eye irritation, Category 2	Causes serious eye irritation.
Skin sensitization, Category 1B	May cause an allergic skin reaction.
Carcinogenicity, Category 1B	May cause cancer.
Specific target organ toxicity – Single exposure, Category 3, Narcosis	May cause drowsiness or dizziness.
Hazardous to the aquatic environment, Acute Hazard, Category 2	Toxic to aquatic life.
Hazardous to the aquatic environment, Chronic Hazard, Category 2	Toxic to aquatic life with long lasting effects.

2.2. GHS Label elements, including precautionary statements

GHS CA labeling

Hazard pictograms (GHS CA) :



Signal word (GHS CA) : Danger

Hazard statements (GHS CA) : Pressurized container; may burst if heated
Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation

CRC® Heavy Duty Degreaser, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Precautionary statements (GHS CA) : May cause drowsiness or dizziness
May cause cancer.
: Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Do not pierce or burn, even after use.
Avoid breathing vapors, spray, mist.
Use only outdoors or in a well-ventilated area.
Wear protective gloves, protective clothing, eye and face protection.
Wash hands thoroughly after handling.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER or a doctor if you feel unwell.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice or attention.
IF ON SKIN: Wash with plenty of water.
If skin irritation or rash occurs: Get medical advice or attention.
Take off contaminated clothing and wash it before reuse.
Contaminated work clothing should not be allowed out of the workplace.
IF exposed or concerned: Get medical advice or attention.
Store locked up.
Store in a well-ventilated place.
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Dispose of contents/container in accordance with local/regional/national regulations.

2.3. Other hazards

Other hazards which do not result in classification : When exposed to extreme heat or hot surfaces, vapors may decompose to toxic gases such as hydrogen fluoride, hydrogen chloride, and possibly phosgene.

2.4. Unknown acute toxicity (GHS CA)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%
tetrachloroethylene	Perchloroethylene (PCE)	CAS-No.: 127-18-4	80 – 100
Ethene, 1,2-dichloro-, (1E)-	trans-dichloroethylene	CAS-No.: 156-60-5	5 – 10
Carbon dioxide	Carbon dioxide	CAS-No.: 124-38-9	1 – 5
Ethane, 1,1,2,2-tetrafluoro-1-(2,2,2-trifluoroethoxy)-	HFE-347PCF2	CAS-No.: 406-78-0	0.1 – 1

Comments : The exact percentage (concentration) of composition has been withheld as a trade secret.
All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

CRC® Heavy Duty Degreaser, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Get medical advice/attention if you feel unwell.
First-aid measures general	: Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. IF exposed or concerned: Get medical advice/attention.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after inhalation	: Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: May cause eye irritation. Eye irritation.
Symptoms/effects after ingestion	: May cause mild irritation to the digestive tract.

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	: Water fog. Dry powder. Foam. Carbon dioxide.
------------------------------	------------------------------------------------

5.2. Unsuitable extinguishing media

Unsuitable extinguishing media	: Do not use a heavy water stream.
--------------------------------	------------------------------------

5.3. Specific hazards arising from the hazardous product

Fire hazard	: When exposed to extreme heat or hot surfaces, vapors may decompose to toxic gases such as hydrogen fluoride, hydrogen chloride, and possibly phosgene.
Explosion hazard	: Pressurized container may rupture when exposed to heat or flame.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Eliminate all ignition sources if safe to do so. Fight fire remotely due to the risk of explosion. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Self-contained breathing apparatus. Do not attempt to take action without suitable protective equipment. Complete protective clothing.
Precautionary measures fire	: Keep container tightly closed and away from heat, sparks and flame.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Eliminate every possible source of ignition. Stop leak if safe to do so. Absorb spillage to prevent material-damage. Notify authorities if product enters sewers or public waters.
------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

CRC® Heavy Duty Degreaser, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Personal Precautions, Protective Equipment and Emergency Procedures : Self-contained breathing apparatus.

6.2. Methods and materials for containment and cleaning up

For containment : Stop leak, if possible without risk. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Collect spillage.

Methods for cleaning up : Take up mechanically (sweeping, shoveling) and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination. Notify authorities if product enters sewers or public waters.

Additional Regulatory Information : Dispose of materials or solid residues at an authorized site.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Exposure to high temperature may cause can to burst. Do not use if spray button is missing or defective. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing vapors, spray, mist. Use only outdoors or in a well-ventilated area. Maintain ventilation during use and until all vapors are gone. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. For product usage instructions, see the product label.

Hygiene measures : Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Separate working clothes from town clothes. Launder separately.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Level 1 Aerosol. Store locked up. Store in a well-ventilated place. Keep cool. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Carbon dioxide (124-38-9)	
Canada (Alberta) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	9000 mg/m ³
	5000 ppm
OEL STEL	54000 mg/m ³
	30000 ppm

CRC® Heavy Duty Degreaser, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Carbon dioxide (124-38-9)	
Regulatory reference	Alberta Regulation 191/2021
Canada (Quebec) - Occupational Exposure Limits	
Local name	Carbon dioxide
VECD (OEL STEV)	54000 mg/m ³
	30000 ppm
VEMP (OEL TWAEV)	9000 mg/m ³
	5000 ppm
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
Canada (British Columbia) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	5000 ppm
OEL STEL	15000 ppm
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
Canada (Manitoba) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	9000 mg/m ³
	5000 ppm
OEL STEL	54000 mg/m ³
	30000 ppm
Notations and remarks	TLV® Basis: Asphyxia
Regulatory reference	ACGIH 2025
Canada (Newfoundland and Labrador) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	9000 mg/m ³
	5000 ppm
OEL STEL	54000 mg/m ³
	30000 ppm
Notations and remarks	TLV® Basis: Asphyxia
Regulatory reference	ACGIH 2025
Canada (Nova Scotia) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	9000 mg/m ³
	5000 ppm
OEL STEL	54000 mg/m ³
	30000 ppm

CRC® Heavy Duty Degreaser, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Carbon dioxide (124-38-9)	
Notations and remarks	TLV® Basis: Asphyxia
Regulatory reference	ACGIH 2025
Canada (Nunavut) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	5000 ppm
OEL STEL	30000 ppm
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
Canada (Northwest Territories) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	5000 ppm
OEL STEL	30000 ppm
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-090-2024)
Canada (Ontario) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWAEV	5000 ppm 30000 ppm
Regulatory reference	Ontario Occupational Exposure Limits under Regulation 833
Canada (Prince Edward Island) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	9000 mg/m ³ 5000 ppm
OEL STEL	54000 mg/m ³ 30000 ppm
Notations and remarks	TLV® Basis: Asphyxia
Regulatory reference	ACGIH 2025
Canada (Saskatchewan) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	5000 ppm
OEL STEL	30000 ppm
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10
tetrachloroethylene (127-18-4)	
Canada (Alberta) - Occupational Exposure Limits	
Local name	Tetrachloroethylene (Perchloroethylene)
OEL TWA	170 mg/m ³

CRC® Heavy Duty Degreaser, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

tetrachloroethylene (127-18-4)	
	25 ppm
OEL STEL	678 mg/m ³
	100 ppm
Regulatory reference	Alberta Regulation 191/2021
Canada (Quebec) - Occupational Exposure Limits	
Local name	Perchloroethylene (Tetrachloroethylene)
VECD (OEL STEV)	685 mg/m ³
	100 ppm
VEMP (OEL TWAEV)	170 mg/m ³
	25 ppm
Notations and remarks	C3
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
Canada (British Columbia) - Occupational Exposure Limits	
Local name	Tetrachloroethylene (Perchloroethylene)
OEL TWA	25 ppm
OEL STEL	100 ppm
Notations and remarks	IARC group 2A carcinogen
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
Canada (Manitoba) - Occupational Exposure Limits	
Local name	Tetrachloroethylene
OEL TWA	170 mg/m ³
	25 ppm
OEL STEL	685 mg/m ³
	100 ppm
Notations and remarks	TLV® Basis: CNS impair. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI
Regulatory reference	ACGIH 2025
Canada (Newfoundland and Labrador) - Occupational Exposure Limits	
Local name	Tetrachloroethylene
OEL TWA	170 mg/m ³
	25 ppm
OEL STEL	685 mg/m ³
	100 ppm
Notations and remarks	TLV® Basis: CNS impair. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI

CRC® Heavy Duty Degreaser, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

tetrachloroethylene (127-18-4)	
Regulatory reference	ACGIH 2025
Canada (Nova Scotia) - Occupational Exposure Limits	
Local name	Tetrachloroethylene
OEL TWA	170 mg/m ³
	25 ppm
OEL STEL	685 mg/m ³
	100 ppm
Notations and remarks	TLV® Basis: CNS impair. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI
Regulatory reference	ACGIH 2025
Canada (Nunavut) - Occupational Exposure Limits	
Local name	Tetrachloroethylene (Perchloroethylene)
OEL TWA	25 ppm
OEL STEL	100 ppm
Notations and remarks	Designated substance
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
Canada (Northwest Territories) - Occupational Exposure Limits	
Local name	Tetrachloroethylene (Perchloroethylene)
OEL TWA	25 ppm
OEL STEL	100 ppm
Notations and remarks	Designated substance
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-090-2024)
Canada (Ontario) - Occupational Exposure Limits	
Local name	Tetrachloroethylene
OEL TWAEV	25 ppm
	100 ppm
Regulatory reference	Ontario Occupational Exposure Limits under Regulation 833
Canada (Prince Edward Island) - Occupational Exposure Limits	
Local name	Tetrachloroethylene
OEL TWA	170 mg/m ³
	25 ppm
OEL STEL	685 mg/m ³
	100 ppm
Notations and remarks	TLV® Basis: CNS impair. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI

CRC® Heavy Duty Degreaser, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

tetrachloroethylene (127-18-4)	
Regulatory reference	ACGIH 2025
Canada (Saskatchewan) - Occupational Exposure Limits	
Local name	Tetrachloroethylene (Perchloroethylene)
OEL TWA	25 ppm
OEL STEL	100 ppm
Notations and remarks	Designated Chemical Substance
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10
Ethene, 1,2-dichloro-, (1E)- (156-60-5)	
Canada (Alberta) - Occupational Exposure Limits	
Local name	1,2-Dichloroethylene, all isomers (Acetylene dichloride)
OEL TWA	793 mg/m ³ 200 ppm
Regulatory reference	Alberta Regulation 191/2021
Canada (British Columbia) - Occupational Exposure Limits	
Local name	1,2-Dichloroethylene, all isomers
OEL TWA	200 ppm
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
Canada (Nunavut) - Occupational Exposure Limits	
Local name	1,2-Dichloroethylene, all isomers
OEL TWA	200 ppm
OEL STEL	250 ppm
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
Canada (Northwest Territories) - Occupational Exposure Limits	
Local name	1,2-Dichloroethylene, all isomers
OEL TWA	200 ppm
OEL STEL	250 ppm
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-090-2024)
Canada (Ontario) - Occupational Exposure Limits	
Local name	1,2-Dichloroethylene, All isomers
OEL TWAEV	200 ppm
Regulatory reference	Ontario Occupational Exposure Limits under Regulation 833
Canada (Saskatchewan) - Occupational Exposure Limits	
Local name	1,2-Dichloroethylene, all isomers

CRC® Heavy Duty Degreaser, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Ethene, 1,2-dichloro-, (1E)- (156-60-5)	
OEL TWA	200 ppm
OEL STEL	250 ppm
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10

Ethane, 1,1,2,2-tetrafluoro-1-(2,2,2-trifluoroethoxy)- (406-78-0)	
Occupational Exposure Limit	50 ppm (8-hour TWA) - Manufacturer Recommended Exposure Limit
Occupational Exposure Limit	150 ppm (Ceiling Exposure Limit) - US EPA (Non-emergency)

8.2. Appropriate engineering controls

Appropriate engineering controls : Provide local exhaust or general room ventilation. Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Wear protective gloves such as: Polyvinylalcohol (PVA)

Eye protection:

Wear safety glasses with side shields (or goggles).

Respiratory protection:

If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: Colorless
Odor	: Ethereal
Melting point	: -50 °C (-58 °F estimated)
Freezing point	: -50 °C (-58 °F estimated)
Boiling point	: 48 °C (118.4 °F estimated)
Flammability (solid, gas)	: Not applicable
Explosion limits	: No data available
Flash point	: None (Setaflash)
Auto-ignition temperature	: 460 °C (860 °F estimated)
Decomposition temperature	: No data available
pH	: No data available
Viscosity, kinematic	: No data available
Solubility	: Water: slight
Partition coefficient n-octanol/water (Log Pow)	: No data available
Vapor pressure	: No data available

CRC® Heavy Duty Degreaser, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Evaporation rate	: Fast
Density	: No data available
Relative density	: 1.56 estimated
Relative vapor density at 20°C	: > 1 (air=1)
Particle characteristics	: No data available

9.2. Additional Regulatory Information

No additional information available

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Pressurized container: may burst if heated.
Possibility of hazardous reactions	: May mass explode in fire. Heating may cause a fire or explosion.
Conditions to avoid	: High temperature. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. When exposed to extreme heat or hot surfaces, vapors may decompose to toxic gases such as hydrogen fluoride, hydrogen chloride, and possibly phosgene.
Incompatible materials	: Strong acids. Strong bases. Strong oxidizing agents.
Hazardous decomposition products	: Carbon oxides (CO, CO ₂). Carbonyl halides. Halogenated compounds. Hydrogen chloride. Hydrogen fluoride. Phosgene.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

tetrachloroethylene (127-18-4)	
LD50 oral rat	3005 mg/kg
LD50 dermal rabbit	> 10000 mg/kg Source: ECHA
LC50 Inhalation - Rat [ppm]	3786 ppm
Ethene, 1,2-dichloro-, (1E)- (156-60-5)	
LD50 oral rat	1235 mg/kg Source: HSDB
LD50 dermal rabbit	> 5000 mg/kg Source: ECHA
Ethane, 1,1,2,2-tetrafluoro-1-(2,2,2-trifluoroethoxy)- (406-78-0)	
LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity), Guideline: other:
LC50 Inhalation - Rat	> 24.61879 mg/l air Animal: rat, Animal sex: male, Guideline: other:

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.

CRC® Heavy Duty Degreaser, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

tetrachloroethylene (127-18-4)	
IARC group	2A - Probably carcinogenic to humans
National Toxicity Program (NTP) Status	Reasonably anticipated to be Human Carcinogen
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
tetrachloroethylene (127-18-4)	
LOAEL (oral,rat,90 days)	390 mg/kg bw/day
Ethane, 1,1,2,2-tetrafluoro-1-(2,2,2-trifluoroethoxy)- (406-78-0)	
LOAEC (inhalation,rat,vapor,90 days)	16.358 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)
NOAEL (oral,rat,90 days)	1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)
NOAEC (inhalation,rat,vapor,90 days)	12.2685 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)
Aspiration hazard	: Not classified
tetrachloroethylene (127-18-4)	
Viscosity, kinematic	0.524 mm ² /s
Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after inhalation	: Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: May cause eye irritation. Eye irritation.
Symptoms/effects after ingestion	: May cause mild irritation to the digestive tract.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Carbon dioxide (124-38-9)	
LC50 - Fish [1]	35 mg/l Source: HSDB
tetrachloroethylene (127-18-4)	
LC50 - Fish [1]	5 mg/l
LC50 - Fish [2]	5 mg/l Test organisms (species): Limanda limanda
EC50 - Crustacea [1]	8.5 mg/l
ErC50 algae	3.64 mg/l
EC50 72h - Algae [1]	3.64 mg/l Source: ECHA
NOEC chronic fish	2.34 mg/l
NOEC chronic crustacea	0.51 mg/l
Ethane, 1,2-dichloro-, (1E)- (156-60-5)	
LC50 - Fish [1]	135 mg/l Source: ECHA

CRC® Heavy Duty Degreaser, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Ethene, 1,2-dichloro-, (1E)- (156-60-5)	
EC50 - Crustacea [1]	220 mg/l Source: ECHA
EC50 72h - Algae [1]	36.36 mg/l Source: ECHA
Ethane, 1,1,2,2-tetrafluoro-1-(2,2,2-trifluoroethoxy)- (406-78-0)	
LC50 - Fish [1]	> 76 mg/l Test organisms (species): Cyprinus carpio
EC50 72h - Algae [1]	> 24 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	> 213 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

12.2. Persistence and degradability

CRC® Heavy Duty Degreaser, 538 g

Persistence and degradability No data is available on the degradability of this product.

12.3. Bioaccumulative potential

Carbon dioxide (124-38-9)

Partition coefficient n-octanol/water (Log Pow) 0.83 Source: ISCS

tetrachloroethylene (127-18-4)

Partition coefficient n-octanol/water (Log Pow) 2.53

Ethene, 1,2-dichloro-, (1E)- (156-60-5)

Partition coefficient n-octanol/water (Log Pow) 2.09 Source: ChemIDplus

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone : Not classified

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional waste regulation : Disposal must be done according to official regulations. Dispose of contents/container in accordance with local/regional/national regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations. Do not allow to enter sewers, surface or groundwater.

Product/Packaging disposal recommendations : Contents under pressure. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.

Additional information : Do not re-use empty containers.

SECTION 14: Transport information

In accordance with TDG / IMDG / IATA

CRC® Heavy Duty Degreaser, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

TDG	IMDG	IATA
14.1. UN number		
UN1950	1950	1950
14.2. Proper Shipping Name		
AEROSOLS, non-flammable, containing substances in Division 6.1, Packing Group III	AEROSOLS	Aerosols, non-flammable, containing substances in Division 6.1, Packing Group III
14.3. Transport hazard class(es)		
2.2 (6.1)	2.2 (6.1)	2.2 (6.1)
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Marine Pollutant Exception		

14.6. Special precautions for user

TDG	
TDG Primary Hazard Classes	: 2.2 - Class 2.2 - Non-Flammable, Non-Toxic Gases
UN-No. (TDG)	: UN1950
TDG Special Provisions	: 80 - Despite section 1.17 of Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases), a person must not offer for transport or transport these dangerous goods unless they are in a means of containment that is in compliance with the requirements for transporting gases in Part 5 (Means of Containment).
Explosive Limit and Limited Quantity Index	: 0.125 L
Excepted quantities (TDG)	: E0
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	: 75 L
Emergency Response Guide (ERG) Number	: 126
IMDG	
Class (IMDG)	: 2 - Gases
Special provision (IMDG)	: 63, 190, 277, 327, 344, 381, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP200
Packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D - FIRE SCHEDULE Delta - FLAMMABLE GASES
EmS-No. (Spillage)	: S-U - SPILLAGE SCHEDULE Uniform - GASES (FLAMMABLE, TOXIC OR CORROSIVE)
Stowage category (IMDG)	: None
Stowage and handling (IMDG)	: SW1, SW22
Segregation (IMDG)	: SG69
IATA	
Class (IATA)	: 2 - Gases
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG

CRC® Heavy Duty Degreaser, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provision (IATA)	: A145, A167, A802
ERG code (IATA)	: 2P

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

CRC® Heavy Duty Degreaser, 538 g

All components of this product are listed on the DSL, NDSL, or are exempt from the inventory requirements.

Name	CAS-No.	Regulatory reference
Carbon dioxide	124-38-9	Listed on the Canadian DSL (Domestic Substances List)
tetrachloroethylene	127-18-4	Listed on the Canadian DSL (Domestic Substances List)
Ethene, 1,2-dichloro-, (1E)-	156-60-5	Listed on the Canadian DSL (Domestic Substances List)
Ethane, 1,1,2,2-tetrafluoro-1-(2,2,2-trifluoroethoxy)-	406-78-0	Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

Carbon dioxide (124-38-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

tetrachloroethylene (127-18-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

Ethene, 1,2-dichloro-, (1E)- (156-60-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

Ethane, 1,1,2,2-tetrafluoro-1-(2,2,2-trifluoroethoxy)- (406-78-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

CRC® Heavy Duty Degreaser, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

15.2. Other Regulatory Information

Volatile Organic Compound Concentration Limits for Certain Products Regulations: SOR/2021-268

VOC content	7.8 %
Product Category	General purpose degreaser

SECTION 16: Other information

Issue date : 05-21-2025

Other information : CRC # 1753505.

Author : Joshua Weir

Safety Data Sheet (SDS), Canada, CRC

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Canada Co.