



CRC® T-Force™ Degreaser, 510 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)
Issue date: 2024-03-14 Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Trade name : CRC® T-Force™ Degreaser, 510 g
Product code : 1006178
Part number : 73115

1.2. Recommended use and restrictions on use

Recommended use : General purpose degreaser
Restrictions on use : Designed to be solely used in the manufacturing or processing of products and NOT the repair of products.

1.3. Supplier

Manufactured or sold by:

CRC Canada Co.
83 Galaxy Blvd.
Unit 35 - 37
Toronto, ON M9W 5X6
Canada
T 416-847-7750
crcindustries.ca

1.4. Emergency telephone number

Emergency number : 800-424-9300 (CHEMTREC)
24-Hour Emergency

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Gases under pressure Compressed gas	Contains gas under pressure; may explode if heated
Acute toxicity (oral) Category 4	Harmful if swallowed
Skin corrosion/irritation Category 2	Causes skin irritation
Serious eye damage/eye irritation Category 2	Causes serious eye irritation
Specific target organ toxicity – Single exposure, Category 3, Narcosis	May cause drowsiness or dizziness
Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	May cause respiratory irritation
Aspiration hazard Category 1	May be fatal if swallowed and enters airways
Hazardous to the aquatic environment – Chronic Hazard Category 3	Harmful to aquatic life with long lasting effects
Full text of H statements : see section 16	

2.2. GHS Label elements, including precautionary statements

GHS CA labeling

Hazard pictograms (GHS CA) :



Signal word (GHS CA) : Danger

Hazard statements (GHS CA) : Contains gas under pressure; may explode if heated
Harmful if swallowed
May be fatal if swallowed and enters airways

CRC® T-Force™ Degreaser, 510 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Precautionary statements (GHS CA)	<p>Causes skin irritation Causes serious eye irritation May cause respiratory irritation May cause drowsiness or dizziness</p> <p>: Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid breathing vapors, spray, mist. Wear eye protection, face protection, protective gloves. Wash hands thoroughly after handling. IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Store locked up. Protect from sunlight. Store in a well-ventilated place. Dispose of contents/container in accordance with local/regional/national regulations.</p>
-----------------------------------	--

2.3. Other hazards

Other hazards which do not result in classification	: When exposed to extreme heat or hot surfaces, vapors may decompose to toxic gases such as hydrogen fluoride, hydrogen chloride, and possibly phosgene.
---	--

2.4. Unknown acute toxicity (GHS CA)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%
trans-dichloroethylene	(E)-1,2-Dichloroethene	CAS-No.: 156-60-5	60 - 80*
1,1,2,2-tetrafluoro-1-(2,2,2-trifluoroethoxy) ethane	-	CAS-No.: 406-78-0	10 - 30*
Carbon dioxide, compressed	Carbon dioxide	CAS-No.: 124-38-9	1 - 5*

*Contains fixed concentration

Comments : The exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.

CRC® T-Force™ Degreaser, 510 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.
First-aid measures general	: Call a physician immediately.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Risk of lung edema.

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

5.2. Unsuitable extinguishing media

Unsuitable extinguishing media	: Do not use a heavy water stream.
--------------------------------	------------------------------------

5.3. Specific hazards arising from the hazardous product

Fire hazard	: When exposed to extreme heat or hot surfaces, vapors may decompose to toxic gases such as hydrogen fluoride, hydrogen chloride, and possibly phosgene.
Explosion hazard	: Pressurized container may rupture when exposed to heat or flame.
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO ₂). Halogenated compounds. Hydrogen fluoride. Hydrogen chloride. Phosgene.

5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.
------------------	---

6.2. Methods and materials for containment and cleaning up

For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods for cleaning up	: Take up mechanically (sweeping, shoveling) and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination.
Other information	: Dispose of materials or solid residues at an authorized site.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

CRC® T-Force™ Degreaser, 510 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Use only outdoors or in a well-ventilated area. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Avoid breathing vapors, spray, mist. Avoid contact with skin and eyes. Wear personal protective equipment. Pressurized container: Do not pierce or burn, even after use. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire.
- Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
- Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Keep in a cool, well-ventilated place away from heat.
- Storage conditions : Level 1 Aerosol. Store in a well-ventilated place. Store locked up. Contents under pressure. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
- Packaging materials : Store always product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Carbon dioxide, compressed (124-38-9)	
Canada (Alberta) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	9000 mg/m ³
	5000 ppm
OEL STEL	54000 mg/m ³
	30000 ppm
Regulatory reference	Alberta Regulation 191/2021
Canada (Quebec) - Occupational Exposure Limits	
Local name	Carbon dioxide
VECD (OEL STEV)	54000 mg/m ³
	30000 ppm
VEMP (OEL TWA EV)	9000 mg/m ³
	5000 ppm
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
Canada (British Columbia) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	5000 ppm
OEL STEL	15000 ppm
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)

CRC® T-Force™ Degreaser, 510 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Carbon dioxide, compressed (124-38-9)	
Canada (Manitoba) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	5000 ppm
OEL STEL	30000 ppm
Notations and remarks	TLV® Basis: Asphyxia
Regulatory reference	ACGIH 2024
Canada (Newfoundland and Labrador) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	5000 ppm
OEL STEL	30000 ppm
Notations and remarks	TLV® Basis: Asphyxia
Regulatory reference	ACGIH 2024
Canada (Nova Scotia) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	5000 ppm
OEL STEL	30000 ppm
Notations and remarks	TLV® Basis: Asphyxia
Regulatory reference	ACGIH 2024
Canada (Nunavut) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	5000 ppm
OEL STEL	30000 ppm
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
Canada (Northwest Territories) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	5000 ppm
OEL STEL	30000 ppm
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-013-2020)
Canada (Ontario) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWAEV	5000 ppm 30000 ppm
Regulatory reference	Ontario Occupational Exposure Limits under Regulation 833
Canada (Prince Edward Island) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	5000 ppm

CRC® T-Force™ Degreaser, 510 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Carbon dioxide, compressed (124-38-9)	
OEL STEL	30000 ppm
Notations and remarks	TLV® Basis: Asphyxia
Regulatory reference	ACGIH 2024
Canada (Saskatchewan) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	5000 ppm
OEL STEL	30000 ppm
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10
trans-dichloroethylene (156-60-5)	
Canada (Alberta) - Occupational Exposure Limits	
Local name	1,2-Dichloroethylene, all isomers (Acetylene dichloride)
OEL TWA	793 mg/m ³ 200 ppm
Regulatory reference	Alberta Regulation 191/2021
Canada (British Columbia) - Occupational Exposure Limits	
Local name	1,2-Dichloroethylene, all isomers
OEL TWA	200 ppm
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
Canada (Manitoba) - Occupational Exposure Limits	
Local name	1,2-Dichloroethylene, trans-isomer
OEL TWA	200 ppm
Notations and remarks	TLV® Basis: CNS impair; eye irr
Regulatory reference	ACGIH 2024
Canada (Newfoundland and Labrador) - Occupational Exposure Limits	
Local name	1,2-Dichloroethylene, trans-isomer
OEL TWA	200 ppm
Notations and remarks	TLV® Basis: CNS impair; eye irr
Regulatory reference	ACGIH 2024
Canada (Nova Scotia) - Occupational Exposure Limits	
Local name	1,2-Dichloroethylene, trans-isomer
OEL TWA	200 ppm
Notations and remarks	TLV® Basis: CNS impair; eye irr
Regulatory reference	ACGIH 2024
Canada (Nunavut) - Occupational Exposure Limits	
Local name	1,2-Dichloroethylene, all isomers
OEL TWA	200 ppm

CRC® T-Force™ Degreaser, 510 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

trans-dichloroethylene (156-60-5)	
OEL STEL	250 ppm
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
Canada (Northwest Territories) - Occupational Exposure Limits	
Local name	1,2-Dichloroethylene, all isomers
OEL TWA	200 ppm
OEL STEL	250 ppm
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-013-2020)
Canada (Ontario) - Occupational Exposure Limits	
Local name	1,2-Dichloroethylene, All isomers
OEL TWAEV	200 ppm
Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833
Canada (Prince Edward Island) - Occupational Exposure Limits	
Local name	1,2-Dichloroethylene, trans-isomer
OEL TWA	200 ppm
Notations and remarks	TLV® Basis: CNS impair; eye irr
Regulatory reference	ACGIH 2024
Canada (Saskatchewan) - Occupational Exposure Limits	
Local name	1,2-Dichloroethylene, all isomers
OEL TWA	200 ppm
OEL STEL	250 ppm
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10

8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
- Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Fluoroelastomer (FKM). Nitrile rubber. Polyvinylalcohol (PVA)

Eye protection:

Safety glasses with side shields

Skin and body protection:

Wear suitable protective clothing

CRC® T-Force™ Degreaser, 510 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Respiratory protection:

If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: Colorless
Odor	: Solvent
Melting point	: -137.2 °F
Freezing point	: No data available
Boiling point	: 118.4 °F
Flammability (solid, gas)	: Not applicable
Explosion limits	: No data available
Flash point	: No data available
Auto-ignition temperature	: 860 °F
Decomposition temperature	: No data available
pH	: No data available
Viscosity, kinematic	: No data available
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Vapor pressure	: No data available
Density	: No data available
Relative density	: 1.3 Concentrate
Relative vapor density at 20°C	: No data available
Particle characteristics	: No data available

9.2. Other information

VOC content	: 95.8 % Volatile Organic Compound Concentration Limits for Certain Products Regulations: SOR/2021-268. Product Category: Not regulated. Designed to be solely used in the manufacturing or processing of products and NOT the repair of products.
-------------	--

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: Strong acids. Strong bases. Strong oxidizing agents.
Hazardous decomposition products	: Carbon oxides (CO, CO ₂). Halogenated compounds. Hydrogen chloride. Hydrogen fluoride. Phosgene.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

CRC® T-Force™ Degreaser, 510 g

ATE CA (oral)	500 mg/kg body weight
---------------	-----------------------

CRC® T-Force™ Degreaser, 510 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

trans-dichloroethylene (156-60-5)	
LD50 oral rat	9939 mg/kg Source: ECHA
LD50 dermal rabbit	> 5000 mg/kg Source: ECHA
1,1,2,2-tetrafluoro-1-(2,2,2-trifluoroethoxy) ethane (406-78-0)	
LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity), Guideline: other:
LC50 Inhalation - Rat	> 24.61879 mg/l air Animal: rat, Animal sex: male, Guideline: other:
Skin corrosion/irritation	: Causes skin irritation.
Carbon dioxide,compressed (124-38-9)	
pH	3.2 Source: HSDB
Serious eye damage/irritation	: Causes serious eye irritation.
Carbon dioxide,compressed (124-38-9)	
pH	3.2 Source: HSDB
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness. May cause respiratory irritation.
STOT-repeated exposure	: Not classified
1,1,2,2-tetrafluoro-1-(2,2,2-trifluoroethoxy) ethane (406-78-0)	
LOAEC (inhalation,rat,vapor,90 days)	16.358 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)
NOAEL (oral,rat,90 days)	1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)
NOAEC (inhalation,rat,vapor,90 days)	12.2685 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)
Aspiration hazard	: May be fatal if swallowed and enters airways.
Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: Risk of lung edema.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Carbon dioxide,compressed (124-38-9)	
LC50 - Fish [1]	35 mg/l Source: HSDB
trans-dichloroethylene (156-60-5)	
LC50 - Fish [1]	135 mg/l Source: ECHA

CRC® T-Force™ Degreaser, 510 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

trans-dichloroethylene (156-60-5)	
EC50 - Crustacea [1]	220 mg/l Source: ECHA
EC50 72h - Algae [1]	36.36 mg/l Source: ECHA
1,1,2,2-tetrafluoro-1-(2,2,2-trifluoroethoxy) ethane (406-78-0)	
LC50 - Fish [1]	> 76 mg/l Test organisms (species): Cyprinus carpio
EC50 72h - Algae [1]	> 24 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	> 213 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

12.2. Persistence and degradability

CRC® T-Force™ Degreaser, 510 g

Persistence and degradability No data is available on the degradability of this product.

12.3. Bioaccumulative potential

Carbon dioxide,compressed (124-38-9)

Partition coefficient n-octanol/water (Log Pow) 0.83 Source: ISCS

trans-dichloroethylene (156-60-5)

Partition coefficient n-octanol/water (Log Pow) 2.09 Source: ChemIDplus

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone : Not classified

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional waste regulation : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations : Do not allow to enter sewers, surface or groundwater.
Product/Packaging disposal recommendations : Contents under pressure. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.
Additional information : Do not re-use empty containers.

SECTION 14: Transport information

In accordance with TDG / IMDG / IATA

TDG	IMDG	IATA
14.1. UN number		
UN1950	1950	1950

CRC® T-Force™ Degreaser, 510 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

TDG	IMDG	IATA
14.2. Proper Shipping Name		
AEROSOLS (Limited quantity)	AEROSOLS (Limited quantity)	Aerosols, non-flammable (Limited quantity)
14.3. Transport hazard class(es)		
2.2	2.2	2.2
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available		

14.6. Special precautions for user

TDG

UN-No. (TDG)	: UN1950
TDG Special Provisions	: 80 - Despite section 1.17 of Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases), a person must not offer for transport or transport these dangerous goods unless they are in a means of containment that is in compliance with the requirements for transporting gases in Part 5 (Means of Containment), 107 - (1) These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to the handling, offering for transport or transporting of UN1950, AEROSOLS, and UN2037, GAS CARTRIDGES, that contain dangerous goods included in Class 2.1 or Class 2.2 and that are transported on a road vehicle, a railway vehicle or a vessel on a domestic voyage, if the aerosols or gas cartridges have a capacity less than or equal to 50 mL. (2) Subsection (1) does not apply to self-defence spray.
Explosive Limit and Limited Quantity Index	: 1 L
Excepted quantities (TDG)	: E0
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	: 75 L

IMDG

Special provision (IMDG)	: 63, 190, 277, 327, 344, 381, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP200
Packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D - FIRE SCHEDULE Delta - FLAMMABLE GASES
EmS-No. (Spillage)	: S-U - SPILLAGE SCHEDULE Uniform - GASES (FLAMMABLE, TOXIC OR CORROSIVE)
Stowage category (IMDG)	: None
Stowage and handling (IMDG)	: SW1, SW22
Segregation (IMDG)	: SG69

IATA

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg

CRC® T-Force™ Degreaser, 510 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Special provision (IATA) : A98, A145, A167, A802
ERG code (IATA) : 2L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

No additional information available

Carbon dioxide, compressed (124-38-9)

Listed on the Canadian DSL (Domestic Substances List)

1,1,1,2-tetrafluoro-1-(2,2,2-trifluoroethoxy) ethane (406-78-0)

Listed on the Canadian DSL (Domestic Substances List)

Canada DSL NDSL Flags	Substance was manufactured or imported after July 1, 1995
-----------------------	---

SECTION 16: Other information

Issue date : 03-14-2024

Other information : CRC # 1753534.
Author : Joshua Weir

Safety Data Sheet (SDS), Canada, CRC

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Canada Co.