



CRC® Lectra-Motive™ Electric Parts Cleaner, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)
Issue date: 2025-05-12 Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Trade name : CRC® Lectra-Motive™ Electric Parts Cleaner, 538 g
Product code : 1006290
Part number : 75018

1.2. Recommended use and restrictions on use

Recommended use : Electrical equipment cleaner
Restrictions on use : None known

1.3. Supplier

Manufactured or sold by:

CRC Canada Co.
83 Galaxy Blvd.
Unit 35 - 37
Toronto, ON M9W 5X6
Canada
T 416-847-7750
crcindustries.ca

1.4. Emergency telephone number

Emergency number : 800-424-9300 (CHEMTREC)
24-Hour Emergency

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA)

Aerosol, Category 3	Pressurized container; may burst if heated.
Skin corrosion/irritation, Category 2	Causes skin irritation.
Serious eye damage/eye irritation, Category 2B	Causes eye irritation.
Skin sensitization, Category 1B	May cause an allergic skin reaction.
Carcinogenicity, Category 1B	May cause cancer (Inhalation).
Specific target organ toxicity – Single exposure, Category 3, Narcosis	May cause drowsiness or dizziness.
Hazardous to the aquatic environment, Acute Hazard, Category 2	Toxic to aquatic life.
Hazardous to the aquatic environment, Chronic Hazard, Category 2	Toxic to aquatic life with long lasting effects.

2.2. GHS Label elements, including precautionary statements

GHS CA labeling

Hazard pictograms (GHS CA) :



Signal word (GHS CA) :

Danger

Hazard statements (GHS CA) :

Pressurized container; may burst if heated
Causes skin and eye irritation
May cause an allergic skin reaction

CRC® Lectra-Motive™ Electric Parts Cleaner, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Precautionary statements (GHS CA) : May cause drowsiness or dizziness
May cause cancer (Inhalation).
: Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Do not pierce or burn, even after use.
Avoid breathing mist, vapors, spray.
Use only outdoors or in a well-ventilated area.
Wear protective gloves, protective clothing, eye and face protection.
Wash hands thoroughly after handling.
Contaminated work clothing should not be allowed out of the workplace.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER or a doctor if you feel unwell.
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice or attention.
Take off contaminated clothing and wash it before reuse.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice or attention.
IF exposed or concerned: Get medical advice or attention.
Store locked up.
Store in a well-ventilated place.
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Dispose of contents/container in accordance with local/regional/national regulations.

2.3. Other hazards

Other hazards which do not result in classification : When exposed to extreme heat or hot surfaces, vapors may decompose to toxic gases such as hydrogen chloride and possibly phosgene.

2.4. Unknown acute toxicity (GHS CA)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%
tetrachloroethylene	Perchloroethylene (PCE)	CAS-No.: 127-18-4	80 - 100
Carbon dioxide	Carbon dioxide	CAS-No.: 124-38-9	1 - 5

Comments : All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

CRC® Lectra-Motive™ Electric Parts Cleaner, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
First-aid measures general	: IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation	: Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination. May cause serious damage to health by prolonged exposure through inhalation.
Symptoms/effects after skin contact	: Causes skin irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes eye irritation.
Symptoms/effects after ingestion	: May cause mild irritation to the digestive tract.

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

5.2. Unsuitable extinguishing media

Unsuitable extinguishing media	: Do not use a heavy water stream.
--------------------------------	------------------------------------

5.3. Specific hazards arising from the hazardous product

Fire hazard	: The product is not flammable.
Explosion hazard	: No direct explosion hazard. Pressurized container may rupture when exposed to heat or flame.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen chloride and possibly phosgene.

5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. In case of fire: Stop leak if safe to do so. Move containers from fire area if it can be done without personal risk. Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Complete protective clothing. Self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Absorb spillage to prevent material-damage. Notify authorities if product enters sewers or public waters.
------------------	---

6.2. Methods and materials for containment and cleaning up

For containment	: Stop leak, if possible without risk. Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Take up liquid spill into absorbent material. Take up mechanically (sweeping, shoveling) and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination. Notify authorities if product enters sewers or public waters.
Additional Regulatory Information	: Dispose of materials or solid residues at an authorized site.

CRC® Lectra-Motive™ Electric Parts Cleaner, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Avoid breathing mist, vapors, spray. Use only outdoors or in a well-ventilated area. Maintain ventilation during use and until all vapors are gone. Open doors and windows or use other means to ensure a fresh air supply during use. If you experience any symptoms listed on this label, increase ventilation or leave the area. Avoid contact with skin and eyes. Gas/vapor heavier than air. May accumulate in confined spaces, particularly at or below ground level. Exposure to high temperature may cause can to burst. Do not use if spray button is missing or defective. Floors, walls and other surfaces in the hazard area must be cleaned regularly. For product usage instructions, see the product label.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Level 1 Aerosol. Store locked up. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Do not expose to temperatures exceeding 50 °C/ 122 °F.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Carbon dioxide (124-38-9)	
Canada (Alberta) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	9000 mg/m ³
	5000 ppm
OEL STEL	54000 mg/m ³
	30000 ppm
Regulatory reference	Alberta Regulation 191/2021
Canada (Quebec) - Occupational Exposure Limits	
Local name	Carbon dioxide
VECD (OEL STEV)	54000 mg/m ³
	30000 ppm
VEMP (OEL TWA EV)	9000 mg/m ³
	5000 ppm

CRC® Lectra-Motive™ Electric Parts Cleaner, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Carbon dioxide (124-38-9)	
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
Canada (British Columbia) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	5000 ppm
OEL STEL	15000 ppm
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
Canada (Manitoba) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	9000 mg/m ³ 5000 ppm
OEL STEL	54000 mg/m ³ 30000 ppm
Notations and remarks	TLV® Basis: Asphyxia
Regulatory reference	ACGIH 2025
Canada (Newfoundland and Labrador) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	9000 mg/m ³ 5000 ppm
OEL STEL	54000 mg/m ³ 30000 ppm
Notations and remarks	TLV® Basis: Asphyxia
Regulatory reference	ACGIH 2025
Canada (Nova Scotia) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	9000 mg/m ³ 5000 ppm
OEL STEL	54000 mg/m ³ 30000 ppm
Notations and remarks	TLV® Basis: Asphyxia
Regulatory reference	ACGIH 2025
Canada (Nunavut) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	5000 ppm
OEL STEL	30000 ppm

CRC® Lectra-Motive™ Electric Parts Cleaner, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Carbon dioxide (124-38-9)	
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
Canada (Northwest Territories) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	5000 ppm
OEL STEL	30000 ppm
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-090-2024)
Canada (Ontario) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWAEV	5000 ppm 30000 ppm
Regulatory reference	Ontario Occupational Exposure Limits under Regulation 833
Canada (Prince Edward Island) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	9000 mg/m ³ 5000 ppm
OEL STEL	54000 mg/m ³ 30000 ppm
Notations and remarks	TLV® Basis: Asphyxia
Regulatory reference	ACGIH 2025
Canada (Saskatchewan) - Occupational Exposure Limits	
Local name	Carbon dioxide
OEL TWA	5000 ppm
OEL STEL	30000 ppm
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10
tetrachloroethylene (127-18-4)	
Canada (Alberta) - Occupational Exposure Limits	
Local name	Tetrachloroethylene (Perchloroethylene)
OEL TWA	170 mg/m ³ 25 ppm
OEL STEL	678 mg/m ³ 100 ppm
Regulatory reference	Alberta Regulation 191/2021
Canada (Quebec) - Occupational Exposure Limits	
Local name	Perchloroethylene (Tetrachloroethylene)

CRC® Lectra-Motive™ Electric Parts Cleaner, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

tetrachloroethylene (127-18-4)	
VECD (OEL STEV)	685 mg/m ³
	100 ppm
VEMP (OEL TWAEV)	170 mg/m ³
	25 ppm
Notations and remarks	C3
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
Canada (British Columbia) - Occupational Exposure Limits	
Local name	Tetrachloroethylene (Perchloroethylene)
OEL TWA	25 ppm
OEL STEL	100 ppm
Notations and remarks	IARC group 2A carcinogen
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
Canada (Manitoba) - Occupational Exposure Limits	
Local name	Tetrachloroethylene
OEL TWA	170 mg/m ³
	25 ppm
OEL STEL	685 mg/m ³
	100 ppm
Notations and remarks	TLV® Basis: CNS impair. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI
Regulatory reference	ACGIH 2025
Canada (Newfoundland and Labrador) - Occupational Exposure Limits	
Local name	Tetrachloroethylene
OEL TWA	170 mg/m ³
	25 ppm
OEL STEL	685 mg/m ³
	100 ppm
Notations and remarks	TLV® Basis: CNS impair. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI
Regulatory reference	ACGIH 2025
Canada (Nova Scotia) - Occupational Exposure Limits	
Local name	Tetrachloroethylene
OEL TWA	170 mg/m ³
	25 ppm
OEL STEL	685 mg/m ³

CRC® Lectra-Motive™ Electric Parts Cleaner, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

tetrachloroethylene (127-18-4)	
	100 ppm
Notations and remarks	TLV® Basis: CNS impair. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI
Regulatory reference	ACGIH 2025
Canada (Nunavut) - Occupational Exposure Limits	
Local name	Tetrachloroethylene (Perchloroethylene)
OEL TWA	25 ppm
OEL STEL	100 ppm
Notations and remarks	Designated substance
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
Canada (Northwest Territories) - Occupational Exposure Limits	
Local name	Tetrachloroethylene (Perchloroethylene)
OEL TWA	25 ppm
OEL STEL	100 ppm
Notations and remarks	Designated substance
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-090-2024)
Canada (Ontario) - Occupational Exposure Limits	
Local name	Tetrachloroethylene
OEL TWAEV	25 ppm 100 ppm
Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833
Canada (Prince Edward Island) - Occupational Exposure Limits	
Local name	Tetrachloroethylene
OEL TWA	170 mg/m ³ 25 ppm
OEL STEL	685 mg/m ³ 100 ppm
Notations and remarks	TLV® Basis: CNS impair. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI
Regulatory reference	ACGIH 2025
Canada (Saskatchewan) - Occupational Exposure Limits	
Local name	Tetrachloroethylene (Perchloroethylene)
OEL TWA	25 ppm
OEL STEL	100 ppm
Notations and remarks	Designated Chemical Substance

CRC® Lectra-Motive™ Electric Parts Cleaner, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

tetrachloroethylene (127-18-4)

Regulatory reference

The Occupational Health and Safety Regulations, 2020.
Chapter S-15.1 Reg 10

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Wear protective gloves such as: Nitrile, Polyvinylalcohol (PVA), Butyl rubber

Eye protection:

Wear safety glasses with side shields (or goggles).

Skin and body protection:

Wear appropriate chemical resistant clothing.

Respiratory protection:

If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: Colorless
Odor	: Irritating
Melting point	: -22.3 °C (-8.1 °F) estimated
Freezing point	: -22.3 °C (-8.1 °F) estimated
Boiling point	: 121.3 °C (250.3 °F) estimated
Flammability (solid, gas)	: Not flammable
Explosion limits	: Lower explosion limit: Not flammable Upper explosion limit: Not flammable
Flash point	: None (Closed cup)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: No data available
Viscosity, kinematic	: No data available
Solubility	: Water: 0.02 % (25 °C (77 °F))
Partition coefficient n-octanol/water (Log Pow)	: No data available
Vapor pressure	: 1230 hPa estimated
Evaporation rate	: Very fast
Density	: 1.62 g/ml
Relative density	: 1.62 Concentrate
Relative vapor density at 20°C	: 5.76 (air=1)

CRC® Lectra-Motive™ Electric Parts Cleaner, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Particle characteristics : No data available

9.2. Additional Regulatory Information

No additional information available

SECTION 10: Stability and reactivity

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability : Stable under normal conditions. Pressurized container: may burst if heated.
Possibility of hazardous reactions : May react violently with finely divided metals. When exposed to extreme heat or hot surfaces, vapors may decompose to toxic gases such as hydrogen chloride and possibly phosgene.
Conditions to avoid : High temperature.
Incompatible materials : Strong oxidizing agents. Strong acids. Strong bases. Finely divided metals (Al, Mg, Zn).
Hazardous decomposition products : Carbon oxides (CO, CO₂). Halogenated compounds. Carbonyl haldes. Hydrogen chloride. Phosgene.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

tetrachloroethylene (127-18-4)

LD50 oral rat	3005 mg/kg
LD50 dermal rabbit	> 10000 mg/kg Source: ECHA
LC50 Inhalation - Rat [ppm]	3786 ppm

Skin corrosion/irritation : Causes skin irritation.

Carbon dioxide (124-38-9)

pH	3.2 Source: HSDB
----	------------------

Serious eye damage/irritation : Causes eye irritation.

Carbon dioxide (124-38-9)

pH	3.2 Source: HSDB
----	------------------

Respiratory or skin sensitization : May cause an allergic skin reaction.
Germ cell mutagenicity : Not classified
Carcinogenicity : May cause cancer (Inhalation).

tetrachloroethylene (127-18-4)

IARC group	2A - Probably carcinogenic to humans
National Toxicity Program (NTP) Status	Reasonably anticipated to be Human Carcinogen

Reproductive toxicity : Not classified
STOT-single exposure : May cause drowsiness or dizziness.
STOT-repeated exposure : Not classified

tetrachloroethylene (127-18-4)

LOAEL (oral,rat,90 days)	390 mg/kg bw/day
--------------------------	------------------

Aspiration hazard : Not classified

CRC® Lectra-Motive™ Electric Parts Cleaner, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

tetrachloroethylene (127-18-4)	
Viscosity, kinematic	0.524 mm ² /s
Symptoms/effects after inhalation	: Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination. May cause serious damage to health by prolonged exposure through inhalation.
Symptoms/effects after skin contact	: Causes skin irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes eye irritation.
Symptoms/effects after ingestion	: May cause mild irritation to the digestive tract.

SECTION 12: Ecological information

12.1. Toxicity

Carbon dioxide (124-38-9)	
LC50 - Fish [1]	35 mg/l Source: HSDB
tetrachloroethylene (127-18-4)	
LC50 - Fish [1]	5 mg/l
LC50 - Fish [2]	5 mg/l Test organisms (species): Limanda limanda
EC50 - Crustacea [1]	8.5 mg/l
ErC50 algae	3.64 mg/l
EC50 72h - Algae [1]	3.64 mg/l Source: ECHA
NOEC chronic fish	2.34 mg/l
NOEC chronic crustacea	0.51 mg/l

12.2. Persistence and degradability

CRC® Lectra-Motive™ Electric Parts Cleaner, 538 g	
Persistence and degradability	No data is available on the degradability of this product.

12.3. Bioaccumulative potential

Carbon dioxide (124-38-9)	
Partition coefficient n-octanol/water (Log Pow)	0.83 Source: ISCS
tetrachloroethylene (127-18-4)	
Partition coefficient n-octanol/water (Log Pow)	2.53

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone : Not classified

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

CRC® Lectra-Motive™ Electric Parts Cleaner, 538 g




Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

- Sewage disposal recommendations : Disposal must be done according to official regulations. Do not allow to enter sewers, surface or groundwater.
- Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

SECTION 14: Transport information

In accordance with TDG / IMDG / IATA

TDG	IMDG	IATA
14.1. UN number		
UN1950	1950	1950
14.2. Proper Shipping Name		
AEROSOLS	AEROSOLS	Aerosols, non-flammable, containing substances in Division 6.1, Packing Group III
14.3. Transport hazard class(es)		
2.2 (6.1)	2.2 (6.1)	2.2 (6.1)
		
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Marine Pollutant Exception		

14.6. Special precautions for user

TDG

- TDG Primary Hazard Classes : 2.2 - Class 2.2 - Non-Flammable, Non-Toxic Gases
- UN-No. (TDG) : UN1950
- TDG Special Provisions : 80 - Despite section 1.17 of Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases), a person must not offer for transport or transport these dangerous goods unless they are in a means of containment that is in compliance with the requirements for transporting gases in Part 5 (Means of Containment).
- Explosive Limit and Limited Quantity Index : 0.125 L
- Excepted quantities (TDG) : E0
- Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index : Forbidden
- Emergency Response Guide (ERG) Number : 126

IMDG

- Class (IMDG) : 2 - Gases
- Special provision (IMDG) : 63, 190, 277, 327, 344, 381, 959
- Limited quantities (IMDG) : SP277
- Excepted quantities (IMDG) : E0
- Packing instructions (IMDG) : P207, LP200
- Packing provisions (IMDG) : PP87, L2
- EmS-No. (Fire) : F-D - FIRE SCHEDULE Delta - FLAMMABLE GASES
- EmS-No. (Spillage) : S-U - SPILLAGE SCHEDULE Uniform - GASES (FLAMMABLE, TOXIC OR CORROSIVE)
- Stowage category (IMDG) : None
- Stowage and handling (IMDG) : SW1, SW22

CRC® Lectra-Motive™ Electric Parts Cleaner, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Segregation (IMDG) : SG69

IATA

Class (IATA) : 2 - Gases
PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg
Special provision (IATA) : A145, A167, A802
ERG code (IATA) : 2P

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

Name	CAS-No.	Regulatory reference
Carbon dioxide	124-38-9	Listed on the Canadian DSL (Domestic Substances List)
tetrachloroethylene	127-18-4	Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

Carbon dioxide (124-38-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

tetrachloroethylene (127-18-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.2. Other Regulatory Information

Volatile Organic Compound Concentration Limits for Certain Products Regulations: SOR/2021-268

VOC content : 0 %
Product Category : Electrical equipment cleaner

SECTION 16: Other information

Issue date : 05-12-2025

Other information : CRC# 00491G/1002481.

CRC® Lectra-Motive™ Electric Parts Cleaner, 538 g

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Author

Angelina Cibulskis

Safety Data Sheet (SDS), Canada, CRC

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Canada Co.