



# CRC® Screwloose™ Super Penetrant, 311 g

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)  
Issue date: 2024-10-03 Version: 1.0

### SECTION 1: Identification

#### 1.1. Product identifier

Trade name : CRC® Screwloose™ Super Penetrant, 311 g  
Product code : 1006376  
Part number : 75330

#### 1.2. Recommended use and restrictions on use

Recommended use : General purpose penetrant

#### 1.3. Supplier

##### Manufactured or sold by:

CRC Canada Co.  
83 Galaxy Blvd.  
Unit 35 - 37  
Toronto, ON M9W 5X6  
Canada  
T 416-847-7750  
[crcindustries.ca](http://crcindustries.ca)

#### 1.4. Emergency telephone number

Emergency number : 800-424-9300 (CHEMTREC)  
24-Hour Emergency

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS CA)

Aerosol, Category 1

Specific target organ toxicity – Single exposure, Category 3, Narcosis  
Aspiration hazard Category 1  
Hazardous to the aquatic environment – Acute Hazard Category 2  
Hazardous to the aquatic environment – Chronic Hazard Category 2

Extremely flammable aerosol. Pressurized container: may burst if heated.

May cause drowsiness or dizziness.

May be fatal if swallowed and enters airways.

Toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

#### 2.2. GHS Label elements, including precautionary statements

##### GHS CA labeling

Hazard pictograms (GHS CA)



Signal word (GHS CA)

: Danger

Hazard statements (GHS CA)

: Extremely flammable aerosol.  
Pressurized container: may burst if heated.  
May be fatal if swallowed and enters airways  
May cause drowsiness or dizziness

Precautionary statements (GHS CA)

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Do not spray on an open flame or other ignition source.  
Do not pierce or burn, even after use.

# CRC® Screwloose™ Super Penetrant, 311 g

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Avoid breathing mist, vapors, spray.  
Use only outdoors or in a well-ventilated area.  
IF SWALLOWED: Immediately call a POISON CENTER or doctor.  
Do NOT induce vomiting.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Call a POISON CENTER or doctor if you feel unwell.  
Store locked up.  
Store in a well-ventilated place.  
Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.  
Dispose of contents/container in accordance with local/regional/national regulations.

### 2.3. Other hazards

Other hazards which do not result in classification : Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.

### 2.4. Unknown acute toxicity (GHS CA)

No additional information available

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%
Distillates (petroleum), hydrotreated light	Distillates (petroleum), hydrotreated light	CAS-No.: 64742-47-8	60 - 80*
Naphtha (petroleum), hydrotreated heavy	Naphtha (petroleum), hydrotreated heavy	CAS-No.: 64742-48-9	5 - 10*
2-Propanol, 1-(1-methyl-2-propoxyethoxy)-	1-(1-Methyl-2-propoxyethoxy)-propan-2-ol	CAS-No.: 29911-27-1	3 - 7*
Carbon dioxide	Carbon dioxide	CAS-No.: 124-38-9	1 - 5*
Distillates (petroleum), solvent-dewaxed heavy paraffinic	Distillates (petroleum), solvent-dewaxed heavy paraffinic	CAS-No.: 64742-65-0	1 - 5*
Paraffin oils (petroleum), catalytic dewaxed light	Paraffin oils (petroleum), catalytic dewaxed light	CAS-No.: 64742-71-8	1 - 5*

#### \*Contains fixed concentration

Comments : The exact percentage (concentration) of composition has been withheld as a trade secret.

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution. If eye irritation persists: Get medical advice/attention.

# CRC® Screwloose™ Super Penetrant, 311 g

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

First-aid measures after ingestion	: Call a physician immediately. Do not induce vomiting. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
First-aid measures general	: Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after inhalation	: Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.
Symptoms/effects after skin contact	: None under normal conditions.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: Risk of lung edema.

### 4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

### 5.2. Unsuitable extinguishing media

Unsuitable extinguishing media	: Do not use a heavy water stream.
--------------------------------	------------------------------------

### 5.3. Specific hazards arising from the hazardous product

Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: Pressurized container may rupture when exposed to heat or flame.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

### 5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: This product is a poor conductor of electricity and can become electrostatically charged. Static electricity accumulation may be significantly increased by the presence of small quantities of water or other contaminants.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.
------------------	---

### 6.2. Methods and materials for containment and cleaning up

For containment	: Stop leak, if possible without risk. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material. Take up mechanically (sweeping, shoveling) and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination.
Other information	: Dispose of materials or solid residues at an authorized site.

# CRC® Screwloose™ Super Penetrant, 311 g

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

### 6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wear personal protective equipment. Avoid breathing mist, vapors, spray. Use only outdoors or in a well-ventilated area. Maintain ventilation during use and until all vapors are gone. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Do not get in eyes, on skin, or on clothing.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Keep in a cool, well-ventilated place away from heat.
Storage conditions	: Level 3 Aerosol. Store locked up. Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Packaging materials	: Store always product in container of same material as original container.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Carbon dioxide (124-38-9)	
<b>Canada (Alberta) - Occupational Exposure Limits</b>	
Local name	Carbon dioxide
OEL TWA	9000 mg/m <sup>3</sup>
	5000 ppm
OEL STEL	54000 mg/m <sup>3</sup>
	30000 ppm
Regulatory reference	Alberta Regulation 191/2021
<b>Canada (Quebec) - Occupational Exposure Limits</b>	
Local name	Carbon dioxide
VECD (OEL STEV)	54000 mg/m <sup>3</sup>
	30000 ppm
VEMP (OEL TWA EV)	9000 mg/m <sup>3</sup>
	5000 ppm
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
<b>Canada (British Columbia) - Occupational Exposure Limits</b>	
Local name	Carbon dioxide
OEL TWA	5000 ppm

# CRC® Screwloose™ Super Penetrant, 311 g

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

<b>Carbon dioxide (124-38-9)</b>	
OEL STEL	15000 ppm
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
<b>Canada (Manitoba) - Occupational Exposure Limits</b>	
Local name	Carbon dioxide
OEL TWA	5000 ppm
OEL STEL	30000 ppm
Notations and remarks	TLV® Basis: Asphyxia
Regulatory reference	ACGIH 2024
<b>Canada (Newfoundland and Labrador) - Occupational Exposure Limits</b>	
Local name	Carbon dioxide
OEL TWA	5000 ppm
OEL STEL	30000 ppm
Notations and remarks	TLV® Basis: Asphyxia
Regulatory reference	ACGIH 2024
<b>Canada (Nova Scotia) - Occupational Exposure Limits</b>	
Local name	Carbon dioxide
OEL TWA	5000 ppm
OEL STEL	30000 ppm
Notations and remarks	TLV® Basis: Asphyxia
Regulatory reference	ACGIH 2024
<b>Canada (Nunavut) - Occupational Exposure Limits</b>	
Local name	Carbon dioxide
OEL TWA	5000 ppm
OEL STEL	30000 ppm
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
<b>Canada (Northwest Territories) - Occupational Exposure Limits</b>	
Local name	Carbon dioxide
OEL TWA	5000 ppm
OEL STEL	30000 ppm
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-013-2020)
<b>Canada (Ontario) - Occupational Exposure Limits</b>	
Local name	Carbon dioxide
OEL TWAEV	5000 ppm 30000 ppm
Regulatory reference	Ontario Occupational Exposure Limits under Regulation 833

# CRC® Screwloose™ Super Penetrant, 311 g

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

<b>Carbon dioxide (124-38-9)</b>	
<b>Canada (Prince Edward Island) - Occupational Exposure Limits</b>	
Local name	Carbon dioxide
OEL TWA	5000 ppm
OEL STEL	30000 ppm
Notations and remarks	TLV® Basis: Asphyxia
Regulatory reference	ACGIH 2024
<b>Canada (Saskatchewan) - Occupational Exposure Limits</b>	
Local name	Carbon dioxide
OEL TWA	5000 ppm
OEL STEL	30000 ppm
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

#### Hand protection:

Wear protective gloves such as: Neoprene or nitrile rubber gloves

#### Eye protection:

Safety glasses with side shields

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Color : Light Amber  
Odor : Petroleum  
Melting point : No data available  
Freezing point : -85 °C estimated  
Boiling point : 157 °C estimated

# CRC® Screwloose™ Super Penetrant, 311 g

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Flammability (solid, gas)	: Extremely flammable aerosol
Explosion limits	: Lower explosion limit: 0.6 % estimated Upper explosion limit: 20.4 % estimated
Flash point	: 60.55 °C Setflash
Auto-ignition temperature	: 205 °C estimated
Decomposition temperature	: No data available
pH	: No data available
Viscosity, kinematic	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Vapor pressure	: No data available
Density	: No data available
Relative density	: 0.82 Concentrate
Relative vapor density at 20°C	: > 4 (air=1) estimated
Particle characteristics	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

Reactivity	: Extremely flammable aerosol.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.
Incompatible materials	: Strong oxidizing agents.
Hazardous decomposition products	: Carbon oxides (CO, CO <sub>2</sub> ).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

<b>Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)</b>	
LD50 oral rat	> 5000 mg/kg Source: IUCLID
LD50 dermal rabbit	> 2000 mg/kg Source: IUCLID
LC50 Inhalation - Rat (Dust/Mist)	2.18 mg/l Source: IUCLID
<b>Paraffin oils (petroleum), catalytic dewaxed light (64742-71-8)</b>	
LD50 oral rat	> 5000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
<b>Distillates (petroleum), hydrotreated light (64742-47-8)</b>	
LD50 oral rat	> 15000 mg/kg Source: IUCLID
LD50 dermal rabbit	> 2000 mg/kg Source: IUCLID
LC50 Inhalation - Rat (Dust/Mist)	> 5.2 mg/l Source: IUCLID
<b>Naphtha (petroleum), hydrotreated heavy (64742-48-9)</b>	
LD50 oral rat	> 15000 mg/kg Source: IUCLID
LD50 dermal rabbit	> 3160 mg/kg Source: IUCLID

# CRC® Screwloose™ Super Penetrant, 311 g

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

<b>Naphtha (petroleum), hydrotreated heavy (64742-48-9)</b>	
LC50 Inhalation - Rat (Dust/Mist)	> 5610 mg/l
<b>2-Propanol, 1-(1-methyl-2-propoxyethoxy)- (29911-27-1)</b>	
LD50 dermal rabbit	≥ 2000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EPA OPP 81-2 (Acute Dermal Toxicity), Guideline: other:, Guideline: other:
Skin corrosion/irritation	: Not classified
<b>Carbon dioxide (124-38-9)</b>	
pH	3.2 Source: HSDB
Serious eye damage/irritation	: Not classified
<b>Carbon dioxide (124-38-9)</b>	
pH	3.2 Source: HSDB
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
<b>Distillates (petroleum), hydrotreated light</b>	
NOAEL (animal/male, F0/P)	≥ 3000 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 415 [One-Generation Reproduction Toxicity Study (before 9 October 2017)]
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
<b>Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)</b>	
LOAEL (oral,rat,90 days)	125 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEC (inhalation,rat,dust/mist/fume,90 days)	> 0.98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)
<b>Paraffin oils (petroleum), catalytic dewaxed light (64742-71-8)</b>	
LOAEL (oral,rat,90 days)	125 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEC (inhalation,rat,dust/mist/fume,90 days)	> 0.98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)
<b>Distillates (petroleum), hydrotreated light (64742-47-8)</b>	
NOAEL (oral,rat,90 days)	750 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal,rat/rabbit,90 days)	≥ 495 mg/kg body weight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
<b>2-Propanol, 1-(1-methyl-2-propoxyethoxy)- (29911-27-1)</b>	
NOAEL (oral,rat,90 days)	500 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
Aspiration hazard	: May be fatal if swallowed and enters airways.
<b>Naphtha (petroleum), hydrotreated heavy (64742-48-9)</b>	
Viscosity, kinematic	< 1 mm <sup>2</sup> /s

# CRC® Screwloose™ Super Penetrant, 311 g

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after inhalation	: Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.
Symptoms/effects after skin contact	: None under normal conditions.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: Risk of lung edema.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

#### Carbon dioxide (124-38-9)

LC50 - Fish [1]	35 mg/l Source: HSDB
-----------------	----------------------

#### Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)

LC50 - Fish [1]	> 5000 mg/l Source: IUCLID
-----------------	----------------------------

EC50 - Crustacea [1]	> 1000 mg/l Source: IUCLID
----------------------	----------------------------

EC50 96h - Algae [1]	> 1000 mg/l Source: IUCLID
----------------------	----------------------------

#### Distillates (petroleum), hydrotreated light (64742-47-8)

LC50 - Fish [1]	2.4 mg/l Source: ECOTOX
-----------------	-------------------------

#### Naphtha (petroleum), hydrotreated heavy (64742-48-9)

LC50 - Fish [1]	2200 mg/l Source: IUCLID
-----------------	--------------------------

LC50 - Other aquatic organisms [1]	2.6 mg/l Source: IUCLID
------------------------------------	-------------------------

EC50 - Other aquatic organisms [1]	> 1000 mg/l waterflea
------------------------------------	-----------------------

EC50 - Other aquatic organisms [2]	> 1000 mg/l
------------------------------------	-------------

#### 2-Propanol, 1-(1-methyl-2-propoxyethoxy)- (29911-27-1)

LC50 - Fish [1]	2153 mg/l Source: ECOSAR
-----------------	--------------------------

EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
----------------------	--

EC50 96h - Algae [1]	260.5 mg/l Source: ECOSAR
----------------------	---------------------------

### 12.2. Persistence and degradability

#### CRC® Screwloose™ Super Penetrant, 311 g

Persistence and degradability	No data is available on the degradability of this product.
-------------------------------	--

### 12.3. Bioaccumulative potential

#### Carbon dioxide (124-38-9)

Partition coefficient n-octanol/water (Log Pow)	0.83 Source: ISCS
---	-------------------

#### Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)

Partition coefficient n-octanol/water (Log Pow)	3.9 – 6 Source: IUCLID
---	------------------------

# CRC® Screwloose™ Super Penetrant, 311 g

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

<b>Distillates (petroleum), hydrotreated light (64742-47-8)</b>	
Partition coefficient n-octanol/water (Log Pow)	3.3 – 6 Source: IUCLID
<b>Naphtha (petroleum), hydrotreated heavy (64742-48-9)</b>	
Partition coefficient n-octanol/water (Log Pow)	2.1 – 6 Source: IUCLID
<b>2-Propanol, 1-(1-methyl-2-propoxyethoxy)- (29911-27-1)</b>	
Partition coefficient n-octanol/water (Log Pow)	0.64 Source: episuite

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Ozone : Not classified  
Other information : Avoid release to the environment.




## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Regional waste regulation : Dispose of contents/container in accordance with local/regional/national regulations.  
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Sewage disposal recommendations : Disposal must be done according to official regulations. Do not allow to enter sewers, surface or groundwater.  
Product/Packaging disposal recommendations : Contents under pressure. Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.  
Additional information : Do not re-use empty containers.

## SECTION 14: Transport information

In accordance with TDG / IMDG / IATA

TDG	IMDG	IATA
14.1. UN number		
UN1950	1950	1950
14.2. Proper Shipping Name		
AEROSOLS (Limited quantity)	AEROSOLS (Limited quantity)	Aerosols, flammable (Limited quantity)
14.3. Transport hazard class(es)		
LTD QTY	LTD QTY	LTD QTY Y
		
14.4. Packing group		
Not applicable	Not applicable	Not applicable

# CRC® Screwloose™ Super Penetrant, 311 g

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

TDG	IMDG	IATA
<b>14.5. Environmental hazards</b>		
Marine Pollutant Exception		

### 14.6. Special precautions for user

#### TDG

TDG Primary Hazard Classes	: 2.1 - Class 2.1 - Flammable Gases
UN-No. (TDG)	: UN1950
TDG Special Provisions	: 80 - Despite section 1.17 of Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases), a person must not offer for transport or transport these dangerous goods unless they are in a means of containment that is in compliance with the requirements for transporting gases in Part 5 (Means of Containment), 107 - (1) These Regulations, except for Parts 1 and 2, do not apply to the offering for transport, handling or transport of UN1950, AEROSOLS, and UN2037, GAS CARTRIDGES, that contain dangerous goods included in Class 2.1 or Class 2.2 and that are transported on a road vehicle, a railway vehicle or a vessel on a domestic voyage, if the aerosols or gas cartridges have a capacity less than or equal to 50 mL. (2) Subsection (1) does not apply to self-defence spray.
Explosive Limit and Limited Quantity Index	: 1 L
Excepted quantities (TDG)	: E0
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	: 75 L
Emergency Response Guide (ERG) Number	: 126

#### IMDG

Class (IMDG)	: 2.1 - Flammable Gas
Special provision (IMDG)	: 63, 190, 277, 327, 344, 381, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP200
Packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D - FIRE SCHEDULE Delta - FLAMMABLE GASES
EmS-No. (Spillage)	: S-U - SPILLAGE SCHEDULE Uniform - GASES (FLAMMABLE, TOXIC OR CORROSIVE)
Stowage category (IMDG)	: None
Stowage and handling (IMDG)	: SW1, SW22
Segregation (IMDG)	: SG69

#### IATA

Class (IATA)	: 2.1 - Gases : Flammable
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provision (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# CRC® Screwloose™ Super Penetrant, 311 g

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

### SECTION 15: Regulatory information

#### 15.1. National regulations

##### Carbon dioxide (124-38-9)

Listed on the Canadian DSL (Domestic Substances List)

##### Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)

Listed on the Canadian DSL (Domestic Substances List)

##### Paraffin oils (petroleum), catalytic dewaxed light (64742-71-8)

Listed on the Canadian DSL (Domestic Substances List)

##### Distillates (petroleum), hydrotreated light (64742-47-8)

Listed on the Canadian DSL (Domestic Substances List)

##### Naphtha (petroleum), hydrotreated heavy (64742-48-9)

Listed on the Canadian DSL (Domestic Substances List)

##### 2-Propanol, 1-(1-methyl-2-propoxyethoxy)- (29911-27-1)

Listed on the Canadian DSL (Domestic Substances List)

#### 15.2. International regulations

##### Carbon dioxide (124-38-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

##### Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

##### Paraffin oils (petroleum), catalytic dewaxed light (64742-71-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

##### Distillates (petroleum), hydrotreated light (64742-47-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

##### Naphtha (petroleum), hydrotreated heavy (64742-48-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on INSQ (Mexican National Inventory of Chemical Substances)

# CRC® Screwloose™ Super Penetrant, 311 g

## Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015)

**2-Propanol, 1-(1-methyl-2-propoxyethoxy)- (29911-27-1)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

### 15.2. Other Regulatory Information

Volatile Organic Compound Concentration Limits for Certain Products Regulations: SOR/2021-268

VOC content	24.1 %
Product Category	Penetrating lubricants

### SECTION 16: Other information

Issue date : 10-03-2024

Other information : CRC# 00575H/1002602.  
Author Angelina Cibulskis

Safety Data Sheet (SDS), Canada, CRC

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Canada Co.